

$$\begin{aligned}
p &::= p/p \mid test[q] \\
q &::= q \wedge q \mid true \mid p
\end{aligned}$$

where

- p is the root nonterminal of the grammar and
- $test$ is one of $\{*\} \cup \Sigma$.

Figure 1: Syntax of Simple CoreXPath.

$p \mapsto * \langle p \rangle \bar{*}$, where

$$\begin{aligned}
\langle test[q] \rangle &:= \mathbf{mark}(test) \mathbf{unmark}(\langle q \rangle) \bar{test} \\
\langle test[q]/p \rangle &:= test \mathbf{unmark}(\langle q \rangle) \langle p \rangle \bar{test} \\
\langle q_1 \wedge q_2 \rangle &:= \langle q_1 \rangle \langle q_2 \rangle \\
\langle true \rangle &:=
\end{aligned}$$

Figure 2: Translation to Tree Patterns.

Definition

A CoreXPath path p_1 is said to semantically contain another one p_2 , written $p_1 \supseteq p_2$, if for every tree document and node n therein, $\llbracket p_1 \rrbracket_{NodeSet}(n) \supseteq \llbracket p_2 \rrbracket_{NodeSet}(n)$.

Proposition

Let p_1 and p_2 be Simple CoreXPath queries. Let t be the tree pattern corresponding to p_2 , with root n_0 and tip n_{tip} . Then $p_1 \supseteq p_2$ iff $n_{tip} \in \llbracket p_1 \rrbracket_{NodeSet}(n_0)$ (interpreted on t ; note the role of $*$ as an actual symbol in t).